

Formaldehyde/Formalin Minor Spill (less than 1 gallon) Clean Up Procedures

Only trained staff may clean up a minor spill.

- 1. **Notify co-workers** of spill and **restrict access** to the affected area during clean up.
- 2. **Retrieve formalin spill kit** that includes Spill-X-FP, personal protective equipment, absorbent pads, brush and scoop, scraper, waste label, and waste disposal bag.
- 3. Wear **personal protective equipment -** nitrile gloves, chemical splash goggles, and gown (or lab coat/apron).
- 4. Add Spill-X-FP (1.85 lbs/0.84 kg per bottle) to spill as follows:

Size of Spill	Quantity of Spill X-FP
small specimen jar of 10%	one-quarter of a bottle
formalin (3.7% formaldehyde)	
1 gallon of 10% formalin	one-half of a bottle
(3.7% formaldehyde)	
2.5 gallon container/cube of 10%	1 and one-quarter
formalin (3.7% formaldehyde)	bottles

- 5. Encircle spill at its perimeter with Spill-X-FP, then applying inward. Cover spill evenly with Spill-X-FP. Avoid splashing.
- 6. Using scraper, **mix Spill-X-FP into spill**. <u>Warning:</u> Do not handle treated material until polymerization is complete and residue has cooled.
- 7. **Polymerization should occur within 15 minutes** for formaldehyde solution strengths of less than 15%, but solidification may not occur.
- 8. Place waste material in waste disposal bag and attach orange Hazardous Waste label to bag. Call Environmental Health & Safety (EH&S) at 4-6783 for waste pick-up.

Reorder Spill-X-FP through Lawson (# 41858). For a **replacement kit**, contact EH&S at 4-6783.

For a major spill or if you need assistance:

In University Hospital: Call University Police, 911 (cell phone: 631-632-3333)

In Hospital Off Site Facilities: Call local police, 911